	Application No.	Applicant(s)
Notice of Allowability	10/635,163	KOASE ET AL.
	Examiner	Art Unit
	Vicky A. Johnson	3682
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Date 8), 7. ☐ Examiner's Amendm	

Application/Control Number: 10/635,163

Art Unit: 3682

Allowable Subject Matter

1. Claims 1-4, 6, and 7 are allowed.

2. The following is an examiner's statement of reasons for allowance: There is no teaching or suggestion in the prior art of the claimed combination having a distance between centers of axes of the pulley and the auxiliary roller being shorter than a sum of a radius of the auxiliary roller, a radius of the pulley, which is determined to be a distance from the center of the axis to a top end of a tooth of the pulley, and a distance from the second surface to a top end of the toothed belt.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vicky A. Johnson whose telephone number is (571) 272-7106. The examiner can normally be reached on Monday-Friday (7:00a-3:30p).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Ridley can be reached on (571) 272-6217. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Page 3

Application/Control Number: 10/635,163

Art Unit: 3682

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Vicky A Johnson (Primary Examiner

Art Unit 3682